CAUSES OF LAMENESS **FARM NAME** Test Farm

Fill in cow number and foot in appropriate section when lameness is diagnosed

	Month	Apr-05	Month	May-05	Month	Jun-05	Month	Jul-05
Sole Ulcer	76 LH		124 RH					
	53 RH *							
White line Abscess or Separation	68RH				54 LH			
	25 LH				38 LH			
	53 LH *							
Digital Dermatitis					57 LH		38 RH	
					35 rh		92 rh	
Foul							110 rh	
Other (Specify)			31 lf THORN				115 rf thorn	
							97 rh thorn	
Repeat treatments Same cow same foot							54 LH wl	
Total lame cows in month		4		2		4	5	
% Lame by locoscore								

CAUSES OF LAMENESS **FARM NAME** Test Farm

	Month	Aug-05	Month	Sep-05	6 month summary	Month	Oct-05	Month	Nov-05
S	25 rh		19 lh		average herd size	8 rh		50 lh	
			55 rh		A 90	79 lh		46 lh	
			50 lh & rh		No of cows with SU				
					B 8				
					% herd lame with SU in a year B x 2 x 100/A				
					8x2x100/90 = 17.8				
Wl	59 rh		5 lh		No of cows with WL lesions	40 rh & LH		18 lh	
	22 lh				C 9	122 lh		22 lf	
	2 lh				% herd lame with WL lesions in a year C x 2 x 100/A	36 lh			
					9x2x100/90=20				
Di					No of cows with DD				
					D 4				
					% herd lame with DD in a year D x 2 x 100/A				
					4x2x100/90=8.9				
F					No of cows with foul				
					E 1				
					% herd lame with foul in a year E x 2 x 100/A				
					1x2x100/90=2.2				
Ot	1rh horizotal wall fissu		19 lh heel abscess		Total lame cows (including "other" excluding repeat treat's & multiple lesions recorded on one examination)	76 lh - nothing found			
	24 lh heel abscess				F 24				
Repeat treatments					% of herd lame adjusted to annual figure F x 2 x 100/A				
	97 rh abscess				24x2x100/90=53%				
Total lame cows in n		5		4			6		4
% Lame by locoscore									

CAUSES OF LAMENESS **FARM NAME** Test Farm

Fill in cow number and foot in appropriate section when lameness is diagnosed

	Month	Dec-05	Month	Jan-06	Month	Feb-06	Month	Mar-06	12month 12 month summary
SU			75 lh & RH		43 lh				average herd size
									G 90
									No of cows with SU
									H 14
									% herd lame with SU in a year
									H x 100/G
									14x100/90=15%
WL									No of cows with WL lesions
									J 14
									% herd lame with WL lesions in a year
									J x 100/G
									14x100/90=15%
DD									No of cows with DD
									K 4
									% herd lame with DD in a year
									K x 100/G
									4 x 100/90 =4%
FF	35 lh		44 lh						No of cows with foul
									L 3
									% herd lame with foul in a year
									L x 100/G
									3 x 100/90=3%
Other			107 lh heel abscess				62 lf toe necrosis		Total lame cows (including "other" excluding repeat treat's & multiple lesions recorded on one examination)
									M 40
Repeat treatments									% of herd lame
									M x 100/G
									40 x 100/90=44%
Total lame cows in		1		3		1		1	
% Lame by locoscore									